

The Therapeutic Change Process

Miller, W. R., & Rollnick, S. (2004). Talking oneself into change: Motivational interviewing, Stages of change, and therapeutic process. Journal of Cognitive Psychotherapy, 18, 299-308.

* Joyce, A. S., Ogradniczuk, J. S., Piper, W. E., & McCallum, M. (2003) The alliance as mediator of expectancy effects in short-term individual therapy. Journal of Consulting and Clinical Psychology, 71, 672-679.

* Safran, J.D., & Muran, J. C. (2000). Resolving therapeutic alliance ruptures: Diversity and integration. Journal of Clinical Psychology/In session, 56, 233-243.

*Fresco, D.M., Segal, Z.V., Buis, T., & Kennedy, S. (2007). Relationship of posttreatment decentering and cognitive reactivity to relapse in major depression. Journal of Consulting and Clinical Psychology, 75, 447-455.

* Castonguay, L. G., Goldfried, M. R., Wisner, S. L., Raue, P. J., & Hayes, A. M. (1996). Predicting the effect of cognitive therapy for depression: A study of unique and common factors. Journal of Consulting and Clinical Psychology, 64, 497-504.

* Goldfried, M. R., Raue, P. J., & Castonguay, L. G. (1998). The therapeutic focus in significant Sessions of master therapist: A comparison of cognitive-behavioral and psychodynamic-interpersonal interventions. Journal of Consulting and Clinical Psychology, 66, 803-810.

*Watson, J. C., & Bedard, D. L. (2006). Clients' emotional processing in psychotherapy: A comparison between cognitive-behavioral and process-experiential therapies. Journal of Consulting and Clinical Psychology, 74, 152-159.

*Shoham-Salomon, V., & Hannah, M.T. (1991). Client-treatment interaction in the study of differential change processes. Journal of Consulting and Clinical Psychology, 59, 217-225.

* Available electronically

Psychodynamic-Interpersonal Therapy

Strupp, H.H., & Binder, J.L. (1984). Psychotherapy in a new key. New York: Basic Books. Chs. 2, 3, & 7.

* Horowitz, L. M., Rosenberg, S.E., & Bartholomew, K. (1993). Interpersonal problems, attachment styles, and outcome in brief dynamic psychotherapy. Journal of Consulting and Clinical Psychology, 61, 549-560.

Westen, D. (1988). Transference and information processing. Clinical Psychology Review, 8, 161-179.

* Leichsenring, F. & Leibing, E. (2007) Psychodynamic psychotherapy: A systematic review of techniques, indications and empirical evidence. Psychology and Psychotherapy: Theory, Research and Practice, 80, 217-228.

* Available electronically

Experiential Therapy

- * Rogers, C.R. (1957). The necessary and sufficient conditions of therapeutic personality change. Article is reprint of an original work published in 1957 in the Journal of Consulting Psychology, 21, pp. 95-103. Reprinted in JCCP 1992, Vol. 60, 827-832.
 - *Goldfried, M. R. (2007). What has psychotherapy inherited from Carl Rogers? Psychotherapy: Theory, Research, Practice and Training, 44, 249-252.
 - * Paivio, S.C., & Greenberg, L.S. (1995). Resolving unfinished business: Efficacy of experiential therapy using empty-chair dialogue. Journal of Consulting and Clinical Psychology, 63, 419-425.
 - * Pos, A. E., Greenberg, L. S., Goldman, R. N., & Korman, L. M. (2003). Emotional processing during experiential treatment of depression. Journal of Consulting and Clinical Psychology, 71, 1007-1016.
 - *Greenberg, L. S., & Pascual-Leone, A. (2006). Emotion in psychotherapy: A practice-friendly review. Journal of Clinical Psychology/In Session, 62, 611-630.
- * Available electronically

Psychotherapy Research/Scientist-Practitioner

- * Kazdin, A. E. (1999) The meanings and measurement of clinical significance. Journal of Consulting and Clinical Psychology, 67, 332-339.
- * Beutler, L. E. (2000). David and Goliath: When empirical and clinical standards of practice meet. American Psychologist, 55, 997-1007.
- * Goldfried, M. R., Borkovec, T. D., Clarkin, J. F., Johnson, L. D., & Parry, G. (1999). Toward the development of a clinically useful approach to psychotherapy research. Journal of Clinical Psychology/In session: Psychotherapy in Practice, 55, 1385-1405.
- * Sobell, L.C. (1996). Bridging the gap between scientists and practitioners: The challenge before us. Behavior Therapy, 27, 297-320.
- * Seligman, M.E.P. (1995). The effectiveness of psychotherapy: The Consumer Reports Study. American Psychologist, 50, 965-974.
- * Westen, D., & Morrison, K. (2001). A multidimensional meta-analysis of treatment for depression, panic, and generalized anxiety disorder: An empirical examination of the status of empirically supported therapies. Journal of Consulting and Clinical Psychology, 69, 875-899.
- * Munoz, R. F., & Mendelson, T. (2005). Toward evidence-based interventions for diverse populations: The San Francisco General Hospital prevention and treatment manuals. . Journal of Consulting and Clinical Psychology, 73, 790-799.

* Available electronically

Mood Disorders in Adults

- *Hollon, S.D., Thase, M.E., & Markowitz, J.C. (2002). Treatment and prevention of depression. Psychological Science in the Public Interest, 3, 39-77.
- *Jacobson, N.S., Dobson, K.S., Truax, P.A., Addis, M.E, Koerner, K., Gollan, J.K., Gortner, E., & Prince, S.E. (1996). A component analysis of cognitive-behavioral treatment for depression. Journal of Consulting & Clinical Psychology, 64, 295-304.
- *Watson, J.C., Gordon, L.B., Stermac, L., Kalogerakos, F., & Steckley, P. (2003). Comparing the effectiveness of process-experiential with cognitive-behavioral psychotherapy in the treatment of depression. Journal of Consulting & Clinical Psychology, 71, 773-781.
- *Rea, M.M., Tompson, M.C., Miklowitz, D.J., Goldstein, M.J., Hwang, S., Mintz, J. (2003). Family-focused treatment versus individual treatment for bipolar disorder: Results of a randomized clinical trial. Journal of Consulting & Clinical Psychology, 71, 482-492.
- *Pampallona, S., Bollini, P., Tibaldi, G., Kupelnick, B., & Munizza, C. (2004). Combined pharmacotherapy and psychological treatment for depression: A systematic review. Archives of General Psychiatry, 61, 714-719.
- *Hayes, A. H., Feldman, G. C., Beevers, C.G., Laurenceau, J.-P., Cardaciotto, L., & Lewis-Smith, J. (2007). Discontinuities and cognitive changes in an exposure-based cognitive therapy for depression. Journal of Consulting & Clinical Psychology, 75, 409-421.

* Available electronically

Borderline Personality Disorder

- * Linehan, M. M. (1998). An illustration of dialectical behavior therapy. In Session: Psychotherapy In Practice, 4 (no. 2), 21-44.
- * Zittel, C. & Westen, D. (1998). Conceptual issues and research findings on borderline personality disorder: What every clinician should know. In Session: Psychotherapy In Practice, 4 (no. 2), 5-20.
- * Clarkin, J. F., Levy, K. N., & Lenzenweger, M. F. (2007). Evaluating three treatments for borderline personality disorder: A multiwave study. American Journal of Psychiatry, 164(6), 922-928.
- * Feigenbaum, J. (2007). Dialectical behaviour therapy: An increasing evidence base. Journal of Mental Health, Vol 16(1), 51-68.
- * Nock, M. W., & Teper, R. (2007). Psychological treatment of self-injury among adolescents. Journal of Clinical Psychology/In Session, 63, 1081-1089.

* Available electronically

Mood Disorders in Children and Adolescents

- *Klein, D. N., Dougherty, L. R., & Olino, T. M. (2005). Toward guidelines for evidence-based assessment of depression in children and adolescents. Journal of Clinical Child and Adolescent Psychology, 34, 412-432.
- *Asarnow, J. R., Jaycox, L. H., & Tompson, M. C. (2001). Depression in youth: Psychosocial interventions. Journal of Clinical Child Psychology, 30, 33-47.
- *Cheung, A. H., Emslie, G. J., & Mayes, T. L. (2005). Review of efficacy and safety of antidepressants in youth depression. Journal of Child Psychology and Psychiatry, 46, 735-754.
- *Treatment for Adolescents with Depression Study (TADS) Team. (2004). Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for adolescents with depression study (TADS) randomized control trial. Journal of the American Medical Association, 292, 807-820.

* Available electronically

Phobias

- *Penfold, K., & Page, A. C. (1999). The effect of distraction on within-session anxiety reduction during brief in vivo exposure for mild blood-injection fears. Behavior Therapy, 30, 607-621.
 - *Kendall, P. C., Safford, S., Flannery-Schroeder, E., & Webb, A. (2004). Child anxiety treatment: Outcome in adolescence and impact on substance use and depression at 7.4-year follow-up. Journal of Consulting and Clinical Psychology, 72, 276-287.
 - *Kearney, C. A., Pursell, C., & Alvarez, K. (2001). Treatment of school refusal behavior in children with mixed functional profiles. Cognitive and Behavioral Practice, 8, 3-11.
 - *Kearney, C. A. (2003). Bridging the gap among professionals who address youths with school absenteeism: Overview and suggestions for consensus. Professional psychology: Research and Practice, 34, 57-65.
 - *Anstendig, K. (1998). Selective mutism: A review of the treatment literature by modality from 1980-1996. Psychotherapy, 35, 381-391.
- * Available electronically

Obsessive-Compulsive Disorder

- * Hiss, H., Foa, E.G., & Kozak, M.J. (1994). Relapse prevention program for treatment of obsessive-compulsive disorder. Journal of Consulting and Clinical Psychology, 62, 801-808.
 - *Piacentini, J., & Langley, A. K. (2004). Cognitive-behavioral therapy for children who have obsessive-compulsive disorder. Journal of Clinical Psychology/In Session, 60, 1181-1194.
 - *Waters, T. L., Barrett, P. M. & March, J. S. (2001). Cognitive-behavioral family treatment of childhood obsessive-compulsive disorder: Preliminary findings. American Journal of Psychotherapy, 55, 372-387.
 - *Abramowitz, J.S. (1998). Does cognitive-behavioral therapy cure obsessive-compulsive disorder? A meta-analytic evaluation of clinical significance. Behavior Therapy, 29, 339-355.
 - *Friedman, et al. (2003). Obsessive-compulsive disorder in a multi-ethnic urban outpatient clinic: Initial presentation and treatment outcome with exposure and ritual prevention. Behavior Therapy, 34, 397-410.
 - *Obsessive Compulsive Cognitions Working Group (1997). Cognitive assessment of obsessive-compulsive disorders. Behaviour Research and Therapy, 35, 667-681.
- * Available electronically

General Anxiety Disorder

- *Stein, M. B., & Heimberg, R. G. (2004). Well-being and life satisfaction in generalized anxiety disorder: Comparison to major depressive disorder in a community sample. Journal of Affective Disorders, 79, 161-166.
- *Kessler, R. C., Dupont, R. L., Berglund, P., & Wittchen, H.-U. (1999). Impairments of twelve-month independent and comorbid generalized anxiety disorder and major depression in two national surveys. American Journal of Psychiatry, 156, 1915-1923.
- *Borkovec, T.D., Newman, M.G., Pincus, A.L., & Lytle, R. (2002). A component analysis of cognitive-behavioral therapy for generalized anxiety disorder and the role of interpersonal problems. Journal of Consulting and Clinical Psychology, 70, 288-298.
- *Butler, G., Fennell, M., Robson, P., & Gelder, M. (1991). Comparison of behavior therapy and cognitive behavior therapy in the treatment of generalized anxiety disorder. . Journal of Consulting and Clinical Psychology, 59, 167-175.
- *Borkovec, T. D., Abel, J. L., & Newman, H. (1995). Effects of psychotherapy on comorbid conditions in generalized anxiety disorder. Journal of Consulting and Clinical Psychology, 63, 479-483.

* Available electronically

Social-Evaluative Anxiety

Albano, A. M. (2003). Treatment of social anxiety disorder. In M. A. Reinecke, F. M. Datillo, & A. Freeman (Eds), Cognitive therapy with children and adolescents. New York: Guilford.

* Widiger, T.A. (1992). Generalized social phobia versus avoidant personality disorder: A commentary on three studies. Journal of Abnormal Psychology, 101, 340-343.

*Brown, E.J., Heimberg, R.G., & Juster, H.R. (1995). Social phobia subtype and avoidant personality disorder: Effect on severity of social phobia, impairment, and outcome of cognitive behavioral treatment. Behavior Therapy, 26, 467-486.

* Heimberg, R. G. (2002). Cognitive-behavioral therapy for social anxiety disorder: Current Status and future directions. Biological Psychiatry, 51, 101-108.

*Hofmann, S. G., Moscovitch, D. A., Kim, H-J., & Taylor, A. N. (2004). Changes in self-perception during treatment of social phobia. Journal of Consulting and Clinical Psychology, 72, 588-596.

*Pachankis, J. E., & Goldfried, M. R. (2006). Social anxiety in young gay men. Journal of Anxiety Disorders, 20, 996-1015.

* Available electronically

Complicated Grief Reaction and Posttraumatic Stress

- * Zlotnick, C., & Shea, M. T. (Eds.) (2002) Posttraumatic stress disorder. Journal of Clinical Psychology/In Session, 58(8), pp. 869-959.
- * Shear, K., Frank, E., & Houck, P. R. (2005). Treatment of complicated grief: A randomized controlled trial. Journal of the American Medical Association, 293(21), 2601-2608.
- * Boelen, P.A., de Keijser, J., van den Hout, M.A., & van den Bout, J. (2007). Treatment of complicated grief: A comparison between cognitive-behavioral therapy and supportive counseling. Journal of Consulting & Clinical Psychology, 75, 277-284.

- * Available electronically

Panic Disorder

- * Wade, W.A., Treat, T.A., & Stuart, G.L. (1998). Transporting an empirically supported treatment for panic disorder to a service clinic setting: A benchmarking strategy. Journal of Consulting and Clinical Psychology, 66, 231-239.
- *Chambless, D.L., & Williams, K.E. (1995). A preliminary study of African Americans with agoraphobia: Symptom severity and outcome of treatment with in vivo exposure. Behavior Therapy, 26, 501-515.
- Goldfried, M.R., Wiser, S.L., & Raue, P.J. (1992). On the movement toward psychotherapy integration. The case of panic disorder. Journal of Psychotherapy Practice and Research, 1, 213-224.
- * Brown, T.A., Barlow, D.H. (1995). Long-term outcome in cognitive-behavioral treatment of panic disorder; Clinical predictors and alternative strategies for assessment. Journal of Consulting and Clinical Psychology, 63, 764-765.
- *Smits, J. A. J., Powers, M. B., Cho, Y., & Telch, M. J. (2004). Mechanism of change in cognitive-behavioral treatment of panic disorder: Evidence for the fear of fear mediational hypothesis. Journal of Consulting and Clinical Psychology, 72, 646-652.

* Available electronically